



SPC-9120 12.1" IP66 Stainless Steel Panel PC

The 12.1-inch SPC-9120 stainless steel panel PC, powered by Intel® Celeron® J6412 processor, is specifically designed for the food processing and pharmaceutical industries. Its housing is constructed from SUS 304/316 stainless steel with a seamless design, making it easy to clean and highly durable. The SPC-9120 is compact and equipped with M12 I/O ports, meeting IP66 dust and waterproof standards, making it ideal for dusty, humid, or harsh environments.

SPECIFICATIONS

CPU	Intel Celeron J6412 Processor
Memory	1 x SO-DIMM DDR4-3200MHz, up to 16GB for Celeron Processor and up to 64GB for Core i5 Processor
Extended Interface	1 x full length Mini PCIe slot (Celeron); 1 x M.2 2280 NVMe (Core i)
I/O	4 x USB 2.0; 2 x RS232 or 1 x RS232 and 1 x RS485; 2 x GbE
LAN Ports	2 x RJ45
WiFi	Wi-Fi 802.11 a/b/g/n/ac (optional)
Bluetooth	BT 4.1 (optional)
Contrast Ratio	1000:1
Touch Screen Type	Projected Capacitive Multi-Touch or 5-Wire Resistive Touch
Transmittance	87% (Capacitive) / 80% (Resistive)
Luminance	450 nits
Surface Hardness	≥7H for capacitive; ≥3H for resistive
Control Interface	USB
Viewing Angles	89 (left), 89 (right), 89 (up), 89 (down)

Video Resolution	1024 x 768
LED Lifetime	50,000 Hours
Color	16.7M
Material	Stainless Steel SUS 304 or 316 (optional)
Product Weight	5.7 Kg
Dimensions	320 x 253.5 x 47 mm
Operating Temperature	-10 ~ 50°C (14 ~ 122°F)
Storage Temperature	-40 to 80°C (-40 to 176°F)
Relative Humidity	5% to 90%, non-condensing
Power Management	9-36VDC
Mounting	VESA 100
OS Software Supported	Windows 10, Windows 11
Global P/N / SKU	2907851

Ordering Options

SPC-9120 (SKU# 2907851A) 12.1 " Panel PC with Core i5-1235U processor and Resistive Touch SPC-9120 (SKU# 2907851B) 12.1 " Panel PC with Celeron J6412 processor and Capacitive Touch

Some of our successful brand
partners



ASRock

 **BSQUARE**
FORGING SMART CONNECTIONS

CERVOZ